14 JAN 2005

PCT

REC'D 29 JUL 2004 PCT

WIPO

国際予備審查報告

(法第12条、法施行規則第56条) [PCT36条及びPCT規則70]

出願人又は代理人 の客類記号 02-F-047PCT	今後の手続きについては、国際予備審査報告の送付通知(様式PCT/ IPEA/416)を参照すること。							
国際出願番号 PCT/JP03/08969	国際出願日 (日.月.年) 15.07.2003	優先日 (日. 月. 年) 15.07.2002						
国際特許分類(I P C) Int.Cl. ⁷ C04B26/06,C04B20/00,B29C39/10,E04F13/08 // C04B111:54								
出願人(氏名又は名称) 株式会社アベイラ	出願人(氏名又は名称) 株式会社アベイラス							
1. 国際予備審査機関が作成したこの	国際予備審査報告を法施行規則第57条(P(CT36条)の規定に従い送付する。						
2. この国際予備審査報告は、この表紀	紙を含めて全部で4 ペー	ジからなる。						
X この国際予備審査報告には、附属書類、つまり補正されて、この報告の基礎とされた及び/又はこの国際予備審査機関に対してした訂正を含む明細書、請求の範囲及び/又は図面も添付されている。 (PCT規則70.16及びPCT実施細則第607号参照) この附属書類は、全部で ページである。								
3. この国際予備審査報告は、次の内容	See a company of the company of th							
I X 国際予備審査報告の基礎	I X 国際予備審査報告の基礎							
II 🔲 優先権								
Ⅲ Ⅲ 新規性、進歩性又は産業	上の利用可能性についての国際予備審査報	告の不作成 ・						

	13. Ca. 2004						
<u>.</u>							
国際予備審査の請求各を受理した日 12.12.2003	国際予備審査報告を作成した日 07.07.2004						
名称及びあて先	特許庁審査官 (権限のある職員)	4 T	3029				
日本国特許庁(IPEA/JP)	水田 中央						

X PCT35条(2)に規定する新規性、進歩性又は産業上の利用可能性についての見解、それを裏付けるため

E50 - D3 1

電話番号 03-3581-1101 内線 3463'

様式PCT/IPEA/409 (表紙) (1998年7月)

東京都千代田区設が関三丁目4番3号

国際出願の不備

の文献及び説明

国際出願に対する意見

空子.		

国際出願番号 PCT/JP03/08969

I. 国際予備寄在報告の基礎	
1. この国際予備審査報告は下記の出願啓類に基づいて作成され 応答するために提出された差し替え用紙は、この報告啓にお PCT規則70.16,70.17)	
出廊時の国際出願書類	
X 明和書 第 1-16	出願時に提出されたもの 国際予備審査の額求費と共に提出されたもの
X 請求の範囲 第 項、 請求の範囲 第 項、 請求の範囲 第 項、 請求の範囲 第 1,5-8,10 項、	PCT19条の規定に基づき補正されたもの 国際予備審査の請求者と共に提出されたもの
図面 第 ページ/図、 ・図面 第 ページ/図、	出題時に提出されたもの 国際予備審査の請求審と共に提出されたもの 付の書簡と共に提出されたもの
明細密の配列表の部分 第	出願時に提出されたもの 国際予備審査の請求書と共に提出されたもの 付の書簡と共に提出されたもの
2. 上配の出願書類の言語は、下記に示す場合を除くほか、この[国際出願の宮語である。
上記の普類は、下記の言語である	
□ 国際調査のために提出されたPCT規則23.1(b)にいうる□ PCT規則48.3(b)にいう国際公開の言語□ 国際予備審査のために提出されたPCT規則55.2または	
3. この国際出願は、ヌグレオチド又はアミノ酸配列を含んでおり	
. この国際出願に含まれる普面による配列表	
この国際出願と共に提出された磁気ディスクによる配列	· · · · · · · · · · · · · · · · · · ·
出願後に、この国際予備審査(または調査)機関に提出	
□ 出願後に、この国際予備審査(または調査)機関に提出□ 出願後に提出した歌面による配列表が出願時における国	
ひの提出があった	
	配列表に記録した配列か同一である音の陳近台の徒出
4. 補正により、下配の各類が削除された。	ベージ
X 訪求の範囲 第 2-4.9	項 .
□ 図面 図面の第	ページ/図
5. この国際予備審査報告は、補充機に示したように、補正が出れるので、その補正がされなかったものとして作成した。(記1. における判断の際に考慮しなければならず、本報告に	PCT規則70.2(c) この施正を含む差し替え用紙は上

国除予備審查報告

国際出願番号 PCT/JP03/08969

v. —	対放性、延歩性又は延果上の利文献及び説明	出り配注につい		 m, (1022011)
1.	見解			
	新規性(N)	請求の範囲 請求の範囲	1,5-8,10	
	進歩性(IS)	請求の範囲 請求の範囲	1,5-8,10	
	産業上の利用可能性(IA)	請求の範囲	1.5-8.10	. 有

2. 文献及び説明 (PCT規則70.7)

文献 1:EP 905102 A1 (DOPPEL CO. LTD.) 1999.03.31

請求の範囲,[0011]-[0014],[0021]-[0032],[0052],[0055],[0069]-[0070]

& WO 98/39268 A1, 請求の範囲, 第3頁第23行目-第4頁第17行目,

第6頁第4行目-第8頁第7行目,第11頁第16-22行目,第12頁第4-6行目,

第14頁第6-11行目

文献 2: JP 8-267666 A (株式会社スリーボンド) 1996. 10. 15

請求の範囲

図面(ファミリーなし)

文献 3: JP 2-98406 A (株式会社竹中工務店) 1990.04.10

特許請求の範囲,第3頁右下欄第3行目-第4頁右上欄第7行目,第1図

(ファミリーなし)

請求の範囲1,5-8,10に記載された発明は、国際調査報告で引用された文献1-3より進歩性を有しない。

文献1には、5-70メッシュの透明性無機質細粒成分と、100メッシュアンダーの無機質微粒成分および蓄光性微粒成分と、樹脂成分とを含有し、細粒成分と微粒成分の重量比が1:2-5:1の範囲である人造石(引用発明)が記載されている。

文献1には人造石の硬化収縮率や密度の具体的な値は記載されていないが、引用発明と本願発明は組成が略同一であるから、硬化収縮率や密度といった物性値も同程度の値を有するものと認められる。

したがって、引用発明と本願発明とを対比すると、引用発明は壁面取り付け用の支持体をもたない点で相違する。

上記相違点について検討するに、文献2には、人造石にアンカー部材を埋め込むことが記載されており、また、文献3には、インサート金具を上型と共に押圧して、プレキャスト板に埋設一体化成形する技術が記載されている。

また、アンカー部材を埋設一体化する際の体積率や埋設深さ、および押圧圧力は、 当業者が適宜設定しうる程度の設計的事項にすぎず、本願発明が、これらの値を特定 することによって格段の効果を奏するものであるとも認められない。

よって、上記相違点は、文献2,3記載の技術を引用発明に適用したものであって、当業者が容易になし得た公知技術の転用である。

国際予備審查報告

国際出類番号 PCT/JP03/08969

植充椒 (いずれかの棚の大きさが足りない場合に使用すること)

第 V 棚の続き

なお、請求の範囲7について、文献1に、引用発明の表面を粗面化することが示されている以上、1-100mmという本願発明の数値限定では、両者に差異が生じるとは認められない。

また、請求の範囲10について、アグリルポリマーとモノマーを混合したアクリルシラップは、人造石の樹脂バインダーとして当業者に一般的に用いられているものである。

様式PCT/IPEA/409 (植充棚) (1998年7月)

PCT/JP 03/08969

日本国特許庁 24.5.2004

請求の範囲

- 1. (補正後) 9.5 mm~180 μ mの範囲の大きさの無機質細粒成分と180 μ m未満の大きさの無機質微粒成分並びに全体量の7~30重量%の範囲の樹脂成分が配合され、前記の無機質細粒成分:無機質微粒成分の重量比が1:1~5:1の範囲にある組成を有する人造石において、人造石の組成は、硬化収縮率が0.3%以下、かつ、硬化後の密度が2.0~2.8 g/c m³の範囲のものであり、その裏面側および小口面側の少くともいずれかに、壁面取付用の支持体が、体積率で80%以下、その深さとして全厚の80%以下埋設されていることを特徴とする人造石壁パネル。
- 2. (削除)

ŧ

;

- 3. (削除)
- 4. (削除)
- 5. (補正後) 支持体は金属製金具であることを特徴とする請求項1 の人造石壁パネル。
- 6. (補正後) 無機質細粒成分のうちの少くとも5重量%が透明性の 無機質成分であることを特徴とする請求項1または5のいずれかの人 造石壁パネル。
- 7. (補正後) 請求項1、5または6のいずれかの人造石壁パネルであって、表面には、1~100mmの範囲の深さ(高さ)の凹凸を有していることを特徴とする人造石壁パネル。
- 8. (補正後) 人造石壁パネルの製造方法であって、9.5 mm~1 80 μ mの範囲の大きさの無機質細粒成分と180 μ m未満の大きさの無機質微粒成分並びに全体量の7~30重量%の範囲の樹脂成分が配合され、前記無機質細粒成分:無機質微粒成分の重量比が1:1~5:1 の範囲にある組成を有する混合物を成形下型に充填し、壁面取付用の支持体を成

PCT/JP U3/08969 日本国特許庁 24.5.2004

形上型とともに1N/cm²~100N/cm²の加圧力で押圧して、人造石壁パネルの裏面側および小口面側の少くともいずれかに、該支持体が、体積率で80%以下、その深さとして全厚の80%以下埋設されるように埋設一体化成形することを特徴とする人造石壁パネルの製造方法。

9. (削除)

10. (補正後) 樹脂成分は、モノマー、オリゴマーおよびポリマーのうちの2種以上の混合物として充填することを特徴とする請求項8の人造石壁パネルの製造方法。





PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

. Ф	ATENT COOPER	ATION TREA	ATY	PCT/JP2003/008969			
Canslation Internation	PC	\mathbf{T}		(U190 2011) III 6225 IIII 6311 IIII 632			
INTERNATION	ONAL PRELIMINA	RY EXAMINA	ATION RE	PORT			
•	(PCT Article 30	and Rule 70)					
Applicant's or agent's file reference 02-F-047PCT	FOR FURTHER ACT	ON See Notific	cation of T Examination F	ransmittal of International Report (Form PCT/IPEA/416)			
International application No. PCT/JP2003/008969	International filing date 15 July 2003 (1			t (day/month/year) ly 2002 (15.07.2002)			
International Patent Classification (IPC) or n C04B 26/06, 20/00, B29C 39/10	national classification and beautional classification and beautiful part of the control of the c	PC 11:54	•				
Applicant	AVAILVS COR	PORATION					
This international preliminary exan and is transmitted to the applicant a	nination report has been proceeding to Article 36.	epared by this Inter	national Prelin	ninary Examining Authority			
2. This REPORT consists of a total of							
This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).							
These annexes consist of a t	total of sh	eets.		·			
3. This report contains indications rel	3. This report contains indications relating to the following items:						
I Basis of the report							
II Priority							
III Non-establishmen	t of opinion with regard to	novelty, inventive s	step and indust	trial applicability			
IV Lack of unity of in							
v Reasoned statement citations and explain	nt under Article 35(2) with anations supporting such s	regard to novelty, a tement	inventive step	or industrial applicability;			
VI Certain document	s cited						
VII Certain defects in	the international application	n					
	Cartain absorbations on the international application						
Date of submission of the demand		Date of completion	n of this report				
12 December 2003 (12	.12.2003)	C	7 July 2004	(07.07.2004)			
Name and mailing address of the IPEA/JI	P	Authorized officer	•				
Facsimile No.	_	Telephone No.					

Form PCT/IPEA/409 (cover sheet) (July 1998)

International application No.

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

PCT/JP2003/008969

_	of the rep							
1. With	With regard to the elements of the international application:*							
	the inten	national application as originally filed						
\boxtimes	the descr	-						
	pages _	1-16		, as originally filed				
	pages _		m 1 11	, filed with the demand				
	pages _		_, nied with the letter of _					
X	the clain							
لايك	nages			, as originally filed				
	pages		, as amended (together	with any statement under Article 19				
	pages			, med with the demaild				
	pages _	1, 5-8, 10	_, filed with the letter of _	24 May 2004 (24.05.2004)				
\square	the draw	vings:						
النسكا	pages			, as originally filed				
1	pages			, filed with the demand				
ĺ	pages		_, filed with the letter of _					
<mark> </mark>	the secure	nce listing part of the description:						
السا	pages	nce using part of the description.		, as originally filed				
1	pages -			, filed with the demand				
1	pages		_, filed with the letter of _					
3. Witt prel	the lange the lange or 55.3 the regard liminary expension of furnish furnish The street the street the lange or 55.3 the regard liminary expension of furnish furnish furnish The street the street the lange of the	to any nucleotide and/or amino acid sequence examination was carried out on the basis of the sequence and in the international application in written form. Degether with the international application in computer and subsequently to this Authority in written form. The subsequently to this Authority in computer readal tatement that the subsequently furnished written ational application as filed has been furnished. The tatement that the information recorded in computer furnished.	under this item. e following language International search (under Ri (under Rule 48.3(b)). It of international preliminary the disclosed in the international listing: It readable form. ble form. It is the international preliminary the disclosed in the international listing: It readable form.	which is: ule 23.1(b)). y examination (under Rule 55.2 and/ ational application, the international of go beyond the disclosure in the				
in t	This report this report 170.17).	the description, pages the claims, Nos 2-4, 9 the drawings, sheets/fig the drawings, sheets/fig the disclosure as filed, as indicated in the Suppleme sheets which have been furnished to the receiving C at as "originally filed" and are not annexed to the ment sheet containing such amendments must be referenced.	ental Box (Rule 70.2(c)).** Office in response to an invition they do n	tation under Article 14 are referred to not contain amendments (Rule 70.16				

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/JP 03/08969

v.	Reasoned statement under Article 35 citations and explanations supportin	5(2) with regard to novel g such statement	lty, inventive step or industrial applica	bility;
1.	Statement			
	Novelty (N)	Claims	1, 5-8, 10	YES
	• • •	Claims		NO NO
	Inventive step (IS)	- Claims		YES
		Claims	1, 5-8, 10	NO NO
	Industrial applicability (IA)	Claims	1, 5-8, 10	YES
	maddian approximation (1-1)	Claims		NO

- Citations and explanations
 - Document 1: EP 905102 Al (Doppel Co., Ltd.), 31 March
 1999, claims, paragraphs [0011] to [0014],
 [0021] to [0032], [0052], [0055], [0069] to
 0070] & WO 98/39268 Al, claims, page 3, line
 23 to page 4, line 17; page 6, line 4 to page
 8, line 7; page 11, lines 16 to 22; page 12,
 lines 4 to 6; page 14, lines 6 to 11
 - Document 2: JP 8-267666 A (Three Bond Co., Ltd.), 15
 October 1996, drawings (Family: none)
 - Document 3: JP 2-98406 A (Takenaka Corporation), 10 April 1990, claims; page 3, lower right column, line 3 to page 4, upper right column, line 7; fig. 1 (Family: none)

The inventions set forth in claims 1, 5 to 8 and 10 do not involve an inventive step in the light of documents 1 to 3 cited in the international search report.

Document 1 sets forth artificial stone (cited invention) containing a 5-to 70-mesh-transparent inorganic ultra-fine particulate component, an inorganic ultra-fine particulate component and a 100-mesh-through noctilucent particulate component, and a resin component, wherein the ratio of fine particulate component to ultra-fine particulate component by weight falls within the range 1:2 to 5:1.

Form PCT/IPEA/409 (Box V) (January 1994)

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/JP 03/08969

Document 1 does not disclose specific values for the hardening shrinkage rate or the density of artificial stone, but the composition of the cited invention and the invention of this application are roughly the same, therefore the physical values such as hardening shrinkage rate and density are understood to be approximately the same.

Therefore, comparing the cited invention and the invention of this application, the cited invention is different in the feature that said invention does not have a support for wall-mounting.

Examining the aforementioned difference, document 2 indicates that an anchor member is embedded in the artificial stone, and document 3 sets forth a feature wherein an insert mounting bracket is pushed in together with the upper mold, to be integrally embedded in the precast plate.

In addition, the area ratio, depth of embedding and pushing pressure when embedding an anchor member are merely design features which could be determined as necessary by a person skilled in the art, and the invention of this application is not acknowledged to offer any special effect by specifying these values.

Therefore the aforementioned difference is obtained by applying the feature described in documents 2 or 3 to this invention, and constitutes the application of a known feature which could be easily accomplished by a person skilled in the art.

With regard to claim 7, document 1 indicates that the surface of the cited invention is roughened, therefore the numerical delimitation of the invention of this application of 1 to 100mm is not acknowledged to generate a difference between the two inventions.

With regard to claim 10, acrylic syrup obtained by mixing acrylic polymer and monomer would be commonly used

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.
PCT/JP 03/08969

_	by a person artificial	in	the	art	as	a	resin	binder	for	
					••					